

REPUBLIC OF KENYA



COUNTY ASSEMBLY OF KISUMU

TENDER NO: CAK/OT/LIFTS/2025/2026/05/012

ADDENDUM: 25TH MAY 2026

IMPORTANT:

Tenderers are required to acknowledge this addendum prior to the tender closing Date .
Acknowledgements must be sent via Email to kisumuassembly@gmail.com prior to the closing date of the tender.

The closing date for this tender is on **28th May 2026**

This addendum forms an integral part of the tender document and shall therefore be considered at evaluation stage.

ADDENDUM NO.2

PARTICULAR SPECIFICATIONS FOR LIFTS INSTALLATIONS

PASSENGER LIFTS

Was reading :Speed 1.75 m/s

The correct reading should be as follows;

PARTICULAR SPECIFICATIONS FOR LIFTS INSTALLATIONS

PASSENGER LIFTS

Speed: 1 m/s

3.1 Under Scope of Contract Works

Was reading;

The contract shall comprise manufacture, supply, delivery, assembly, erection, testing, commissioning and setting to work of 2 No. 16 passenger **825kg** duty load ,1m/s speed modern smart microprocessor control-based lifts at Ultra-Modern Kisumu County Assembly Chambers and Offices .

The correct reading should be as follows;

3.1 Under Scope of Contract Works

Was reading;

The contract shall comprise manufacture, supply, delivery, assembly, erection, testing, commissioning and setting to work of 2 No. 16 passenger, **1200kg** duty load ,1m/s speed modern

smart microprocessor control-based lifts at Ultra Modern Kisumu County Assembly Chambers and Offices .

3.1.1 **Capacity:**

Was reading:

The lifts shall each have a capacity of **825kg** net continuous load and their individual floor areas shall in each case be not less than that specified in the CEN/ISO code for 2 No 16 passenger lifts.

The correct reading should be as follows;

3.1.1 **Capacity:**

The lifts shall each have a capacity of **1200kg** net continuous load and their individual floor areas shall in each case be not less than that specified in the CEN/ISO code for 2 No 16 passenger lifts.

All other terms and conditions remain unchanged

[End of Tender Addendum]